

### AMENDMENT TO THE CLAIMS

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strike through~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

1. (Cancelled).
2. (Cancelled).
3. (Cancelled).
4. (Cancelled).
5. (Cancelled).
6. (Cancelled).
7. (Cancelled).
8. (Cancelled).
9. (Cancelled).
10. (Cancelled).
11. (Cancelled).
12. (Cancelled).

13. (Cancelled).

14. (new) A housing for a printer of a motor vehicle tachograph, comprising:

- a basic housing body;
- a support arranged to be moved at least partly out of the housing, the support comprising at least one guide having:
  - at least two first guide elements arranged on and fastened to the support on two opposite sides, and
  - two second guide elements, corresponding to the first guide elements on the support, arranged on both sides of the support such that the support is guided by means of the guide during a movement in or against an insertion direction, and
- wherein the second guide elements are fastened to a central base support which substantially overlaps the support, at least periodically, in that the first guide elements and the central base support are fastened and braced against one another to the basic housing body by means of fastening elements.

15. (new) The housing according to claim 14, further comprising:

- a printer arranged in the housing; and
- a media unit fastened to the support for receiving medium which is to be printed on.

16. (new) The housing according to claim 15, wherein the printer comprises a printing unit which is fastened to the base support.

17. (new) The housing according to claim 14, wherein the support is arranged at least partially in the manner of a drawer between the first guide elements.

18. (new) The housing according to claim 14, wherein:

- a first guide element is fastened to the base support by means of a connection in which at least a first guide element has a first half bore with a first collar;
- the base carrier has a second half bore, with a second collar corresponding to the first half bore;
- the two half bores complement one another to form a complete bore in the joined-together state;

- the housing further comprising a fastening arrangement arranged to extend through the complete bore, the arrangement comprising a first fastening element with a socket which corresponds in form to the collars and which at least partially encloses the collars; and
- wherein the first guide element is thereby fastened to the base support in a positive manner.

19. (new) The housing according to claim 18, wherein the collar is conical on an outer circumference such that a force which brings together the two half bores is produced when securing the fastening arrangement.

20. (new) The housing according to claim 15, wherein the media unit comprises a receptacle for a paper roll and a feed unit for paper of the paper roll.

21. (new) The housing according to claim 14, wherein the support is arranged to be moved relative to the printing unit and in the insertion direction into an operating position and counter to the insertion direction out of an operating position.